Chapter 6

Recent advances in Photocatalytic Nitrogen Fixation

A. Saravanan¹, P. Senthil Kumar^{2,3*}

¹Department of Biotechnology, Rajalakshmi Engineering College, Chennai 602105, India

²Department of Chemical Engineering, Sri Sivasubramaniya Nadar College of Engineering, Chennai 603110, India

³SSN-Centre for Radiation, Environmental Science and Technology (SSN-CREST), SSN College of Engineering, Chennai 603110, India

*senthilkumarp@ssn.edu.in

Abstract

Nitrogen fixation is a standout amongst the most significant concoction responses in the biological system of our planet. Under the regularly pressure of the petroleum product exhaustion emergency and anthropogenic worldwide environmental change with ceaseless CO₂ emanation in the 21st century, examine focusing on the union of NH₃ under gentle conditions in an economical and condition agreeable way is lively and flourishing. Thusly, the focal point of this survey is the cutting edge designing of effective photocatalysts for dinitrogen (N₂) obsession toward NH₃ amalgamation. Creating green and feasible techniques for NH₃ combination under surrounding conditions, utilizing sustainable power source, is firmly wanted, by both modern and logical scientists. Photosynthesis for ammonia synthesis, which has as of late pulled in noteworthy consideration, straightforwardly creates NH₃ from daylight, and N₂ and H₂O by means of photocatalysis. Photocatalysts containing copious surface oxygen-opportunities and coordinative unsaturated metal locales have been demonstrated to be equipped for actuating N₂ reduction under fitting photoexcitation. A few impetus materials are examined which incorporate metal oxides, metals sulfides, carbon-based impetuses, and metal nitrides which are for the most part right now being sought after for their better use of their synergist property towards nitrogen fixation. This chapter portrays the photocatalytic reduction systems of nitrate towards unwanted items (nitrite, ammonium) and the more alluring item (dinitrogen).

Keywords

Photocatalysis, Nitrogen Fixation, Ammonia Synthesis, Co-Catalyst, Nitrite

Contents

Recent advances in Photocatalytic Nitrogen Fixation.....	193
1. Introduction.....	194
2. Advances in photocatalytic nitrogen fixation	196
2.1 TiO ₂ and different oxides based photocatalysts	196
2.2 Oxyhalides based photocatalysts	197
2.3 Graphitic nitride carbon based photocatalysts.....	197
Conclusion and future perspective.....	203
References	204

1. Introduction

Nitrogen is an essential component to different bio-macromolecules essential to the course of life. The living beings ordinarily get nitrogen component in the types of smelling salts or nitrate rather than straightforwardly utilizing the N₂ atoms, even in spite of the fact that the substance of N₂ is exceptionally high in the environment. The principle wellspring of nitrogen, dinitrogen (N₂), is the biggest single part of the Earth's climate [1-3]. It is of extraordinary essentialness to create green and feasible systems for NH₃ synthesis, particularly utilizing sustainable power source under encompassing conditions. Up to this point, different methodologies that can be worked under trifling conditions, including electrocatalysis and photocatalysis, have been investigated with respect to reduction of N₂ for NH₃ synthesis, and a few promising advancements has been accomplished [4,5].

Catalysis is a vital procedure for quickening compound responses through giving diverse progress states and bringing down their actuation energies, which has been viewed as compelling for the structure of dominant part of synthetic mixes. With the developing difficulties in vitality and condition, the usage of sun-based vitality through photocatalytic forms has displayed colossal down to earth application esteems. Importantly, planning progressed photocatalysts has pulled in incredible consideration in vitality related fields, for example, water part, CO₂ reduction, nitrogen fixation. In any case, incredible difficulties still stay in catalysis territories, where a noteworthy impediment is the low clear quantum productivity of impetuses, getting from low efficiencies in light reaping and spatial charge partition [6-9].

Counterfeit photosynthesis of NH₃ straightforwardly from daylight, N₂ and H₂O by means of photocatalysis, is viewed as a perfect, energy-saving and environmentally- amiable

procedure for NH_3 creation since it very well may be performed at ordinary temperature and barometrical weight utilizing sustainable sun based vitality [10]. The system of N_2 fixation is as per the following: N_2 assimilates onto the outside of the semiconductor. In the nearness of light sparkling on the semiconductor, the photogenerated electron is exchanged to the N_2 atoms. The solid triple bonds are debilitated so that N_2 can be decreased, with the cooperation of water atoms. Sadly, both the level of N_2 fixation and the change proficiency are very low because of the wasteful electron exchange from the photocatalyst to N_2 particle [11,12].

N_2 photoreduction was considered to occur in nature over plenteous minerals on the outside of the earth; in this manner, prior examinations on the photocatalytic fixation of N_2 fundamentally centred around soil minerals and sand in nature. Figure 1 shows that photochemical nitrogen fixation.

Figure 1. Photochemical nitrogen fixation.

The primary exploratory investigation on as-incorporated TiO_2 -based photocatalysts for N_2 fixation under UV light in 1977. A whirlwind of research exercises have been given to the improvement of photocatalytic N_2 fixation, particularly in the 21st century, because of the way that the light and water and air of this procedure are moderately perfect and cheap [13,14]. The model photocatalyst TiO_2 as a proof-of-concept to change over N_2 into NH_3 and to oxidize H_2O to oxygen all the while under UV light illumination. From that point

forward, the examination in this field had pulled in numerous considerations in the last century, however further investigation has turned out to need substantially more testing.

2. Advances in photocatalytic nitrogen fixation

The photocatalytic nitrogen reduction process under surrounding conditions has been widely considered in trials amid the previous couple of decades. For the most part, there are two kinds of photocatalytic transformation frameworks for Nitrogen Reduction Reaction:

- (i) Photochemical cell framework and
- (ii) Photo electrochemical cell framework.

The photochemical cell framework uses semiconductor nanoparticle suspensions scattered in N_2 -soaked fluid arrangements as photocatalysts. In this framework, both photocatalytic reduction and oxidation half-responses happen on the various locales of a similar semiconductor nanoparticles, which may result in the invert response or re-oxidization of the alluring items. The photo electrochemical cell framework comprises of photo electrodes with various designs. The photo electrodes reap light to create photocatalytic instigated electrons and openings and advance the charge partition. The initial step of N_2 photo-reduction is photoexcitation, in which the photocatalytic prompted gaps and electrons are created in the valence band and conduction band of semiconductor nanoparticles, separately. The second step incorporates the charge detachment and relocation of photocatalytic actuated bearers. At long last, the electrons diffuse over the mass and the outside of semiconductor photocatalysts furthermore, achieve the dynamic destinations, where the N_2 atoms adsorbed on the locales are diminished to smelling salts by the electrons; in the meantime, H_2O or other conciliatory reagents are oxidized by openings. Various methodologies including heteroatom doping, abandons building, aspect fitting, and surface plasmon adjustment were utilized to improve the photocatalytic efficiencies of the impetuses [15,16].

2.1 TiO_2 and different oxides based photocatalysts

As one of the most punctual considered semiconductor photocatalysts, TiO_2 -based photocatalysts has been explored in nitrogen fixation very early, inferable from its ease, high steadiness and non-danger. N_2 on the powder blends of rutile and anatase TiO_2 with soaked H_2O vapour could be diminished to NH_3 under UV illumination alongside follow measures of N_2H_4 . TiO_2 assumed a key job in nitrogen photocatalytic fixation. Moreover, iron doping could support the yield of NH_3 and N_2H_4 . Aside from filling in as the dopants in TiO_2 network, the progress metal ions stacked on TiO_2 can go about as co-impetuses. The wasteful charge partition and exchange to the dissolvable, the poor chemisorption of

N₂ on impetus surface and the back reactions are the principle obstructions to the photochemical nitrogen reduction reaction process. To beat these issues, some attainable procedures have been created to build the particular nitrogen reduction reaction process of photocatalysts, for example, by presenting deformities or opportunities, expanding the particular surface territory of impetuses, or building cross breed material interfaces of composite impetuses or heterojunctions [17,18].

2.2 Oxyhalides based photocatalysts

Bismuth oxyhalides have drawn wide consideration as 2D layered semiconductor photocatalysts with tetragonal matlockite structure. The layered structures made up of [Bi₂O₂]²⁺ chunks are isolated by two sections of halogen iotas by the van der Waals collaboration, which is anything but difficult to produce opening helpful to photocatalytic exercises. BiOX with a backhanded bandgap can successfully restrain the recombination of photograph produced electrons and openings. Though, the presented surficial oxygen opportunities on BiOX could be effectively oxidized amid the response, bringing about the quick reduction of photocatalytic nitrogen reduction reaction [19].

2.3 Graphitic nitride carbon based photocatalysts

Graphitic carbon nitride (g-C₃N₄), a novel without metal semiconductor material, has been broadly connected in numerous fields, including photocatalysis. The flexible use of g-C₃N₄ is generally because of its one of a kind physicochemical properties, for example, moderate band gap vitality, vitality stockpiling limit, gas-adsorption limit and uncommon optical properties [20-22]. As a two-dimensional conjugated polymer, graphitic carbon nitride (g-C₃N₄) has gotten extensive consideration as a minimal effort and stable photocatalyst with unmistakable light reaction for sunlight based vitality transformation applications, including photocatalytic water part, CO₂ reduction, natural blend, ecological decontamination.

Classification of photocatalysts for N₂ fixation

Most conventional unmodified semiconductors cannot meet the vitality benchmarks for the decrease possibilities of the halfway responses. Up to this point, many deliberate endeavours have been made concerning decision and alteration of semiconductors, such as doping, presenting opportunities, plasmon acceptance, feature fitting and heterostructure get together, to improve the photocatalytic execution. In the resulting areas, the photocatalysts are grouped dependent on their essential syntheses. Figure 2 shows the classification of photocatalysts for N₂ fixation.

Figure 2. Classification of photocatalysts for N_2 reduction.

Metal oxide

Metal oxides as nano-and micro particles for use as photocatalysts might be gotten by a wide assortment of techniques. The fundamental test in the readiness of nano/micro particles is their security, since these particles tend to total to limit surface strain.

(a) Titanium dioxide

A standout amongst the most significant parts of TiO_2 photocatalysis is that, similar to the photoelectric impact, it relies on the vitality of the occurrence photons, in any case, to a first estimation, not on their power. Hence, regardless of whether these are only a couple of photons of the required vitality, they can actuate photocatalysis. This implies even common room light might be adequate to sanitize the air or to keep the dividers clean in the indoor condition, in light of the fact that the measures of poisons are regularly little. Unmodified TiO_2 displayed N_2 photocatalytic movement after toughening in air in light of the fact that the warm pretreatment created surface imperfections, which presented deformity or debasement states in the band hole of the semiconductor. The shallow Ti^{3+} gave plenteous dynamic locales to N_2 fixation by going about as an electron giver, prompting relative simplicity of separation of the $N \equiv N$ bond. With a few changes of surficial Ti from Ti^{3+} to Ti^{4+} , the electrons were normally infused into N_2 . Meanwhile, Ti^{3+} could be recovered under UV illumination.

Titanium dioxide shows three crystalline structures:

- ✓Rutile,
- ✓Anatase and
- ✓Brookite.

Rutile is the most thermodynamically stable precious stone structure of titanium dioxide, however, anatase is the favoured structure for photograph catalysis since it presents higher photocatalytic movement and it is simpler to get ready. Brookite is the least steady stage and regularly not utilized in photograph catalysis. There are contemplates that show the benefits of mixings distinctive crystalline periods of TiO_2 for acquiring a higher photoactivity. At the point when diverse crystalline stages are coupled, it is for the most part trusted that the development of electrons from the rutile stage to the anatase stage happens, which causes a progressively proficient e^-/h^+ partition and subsequently an expanded photocatalytic movement [23,24].

(b) Metal oxides

Ongoing investigations on photocatalysis centre around colloidal semiconductors, on very little measured particles in which quantization impacts are normal, just as on semiconductors upheld on latent help. Different parallel oxide impetuses likewise appear to be conceivably promising, since it is notable that twofold impetuses regularly display higher synergist action and selectivity than what one can foresee from the properties of their parts.

Metal oxide-based heterogeneous photocatalysts could be connected to a wide scope of applications in natural advancements. Titanium dioxide (TiO_2) is a semiconductor, which has a place with the group of progress metal oxides. It has pulled in much enthusiasm, with a wide scope of uses, for example, photovoltaic cells, gas sensors, colors, and photocatalysis. Other than the four polymorphs of TiO_2 found in nature, two extra high-weight structures have been integrated beginning from rutile: $\text{TiO}_2(\text{II})$ which has the PbO_2 structure, and TiO_2 with the hollandite structure. For some utilizations of TiO_2 , the molecule estimate, precious stone structure and stage, porosity, and surface region affect the photoactivity. The great properties of nano TiO_2 are because of its low dimensionality and quantum size impact. TiO_2 nanocrystals have a few favourable circumstances over their mass partner as a result of their high surface-to-volume proportion, expanded number of delocalized bearers superficially, improved charge transport furthermore, lifetime managed by their dimensional anisotropy, and the productive detachment of photogenerated openings and electrons. Nitrogen can be effectively brought into the TiO_2 structure, because of its equivalent nuclear estimate with oxygen, little ionization vitality,

and high steadiness. In N-doped TiO₂, basic nitrogen saturates to the cross section of TiO₂ and substitutes for a grid oxygen molecule to shape nitride or oxynitride courses of action [25].

(c) Hydrous oxides

Hydrous ferric oxide Fe₂O₃(H₂O)_n is unrivalled to TiO₂ based impetuses in photoreduction of N₂. This material is delicate to unmistakable light and the quantum yields of NH₃ acquired are higher than that of TiO₂ based impetuses. The structure of hydrous ferric oxide is not quite the same as that of the recognizable types of ferric oxide, FeO. Goodness or Fe(OH)₃. The synergist action starts from exceedingly negative fiat band potential and solid chemisorption of N₂. In analyses on photocleavage of water, it is notable that composite semiconductor particles, i.e., impetuses stacked with metals and additionally metallic oxides (e.g., RuO₂, NiO) give higher quantum yields, as the electron-opening detachment is increasingly compelling in a composite molecule.

Metal sulfides and different photocatalysts

Like the metal oxide-based photocatalysts, metal sulfides have as of late turned into a hot research subject in the field of photocatalytic NH₃ synthesis because of their solid retention of unmistakable light. Photocatalysts were progressively connected to lessen N₂ to NH₃ under noticeable light. The gaps in the valence band caught the electrons that discharged from RuO₂. To keep the high photocatalytic action of CdS for a more drawn out time, perhaps a few estimates must be taken to stop the corruption of CdS to S and Cd²⁺. Multicomponent metal sulfides with sulfur opening, for example, Zn_{0.1}Sn_{0.1}Cd_{0.8}S and Mo_{0.1}Ni_{0.1}Cd_{0.8}S, could lessen N₂ as photocatalysts under noticeable light, and the centralization of sulfur opportunities catching electrons were straight identified with the NH₃ yields. In addition, G-C₃N₄/ZnSnCdS and g-C₃N₄/ZnMoCdS were, separately, utilized for the obsession of N₂. A tight intersection coupling between g-C₃N₄ and ZnMoCdS was the key for effective charge exchange [26].

The presentation of oxygen opening to copy the reactant focuses of Fe-based impetus for N₂ adsorption could actuate N₂ and advance interfacial electron exchange, hence altogether improving the nitrogen photofixation capacity. Sulfur opening in metal sulfide semiconductors may have a comparative impact on nitrogen photofixation since oxygen and sulfur have the comparative synthetic properties. Compact discs have for quite some time been one of the most alluring unmistakable light dynamic photocatalysts because of its effective light assimilation and appropriate band edge position [27,28]. The Mo and Ni codoped CdS was readied. The doping of Mo and Ni causes the precious stone grid twists, in this manner prompting the development of sulfur opening in as-arranged ternary metal sulfide.

Bismuth oxyhalides photocatalysts

Bismuth-based photocatalysts that display great photocatalytic action and strength amid the response have pulled in more and more consideration because of their exceptional electronic and auxiliary properties. Right now numerous bismuth-based photocatalysts, for example, BiVO_4 , $\text{Bi}_2\text{W}_2\text{O}_6$, Bi_2MoO_6 , BiPO_4 , Bi_xTiO_y , Bi_2O_3 and bismuth oxychloride BiOX ($X = \text{Cl, Br, I}$). To date, many fascinating and significant outcomes on BiOX photocatalysts have been gotten. Nonetheless, a few downsides, for example, poor light assimilation, use and adjustment have been found by analysts amid BiOX photocatalysis. The band structure of the material is significant for its vitality usage effectiveness and photocatalytic properties. The positive conduction band (CB) position of BiOX confines its capacity for sub-atomic oxygen actuation, water part to deliver hydrogen, CO_2 decrease, N_2 fixation, natural blend and different applications [29].

Carbonaceous material

The high recombination rate of photoexcited electron-gap sets, low electrical conductivity, restricted light absorbance and little explicit surface zone of this material are primary bottlenecks in the improvement of $\text{g-C}_3\text{N}_4$ as a productive photocatalyst. Augmentation of its particular surface region and component doping has been demonstrated to be compelling strategies for improving its photocatalytic movement. Composite or heterojunction photocatalysts, which are gainful for isolating redox locales to improve the photocatalytic action, speak to another technique to illuminating the issue of a high recombination rate. Different $\text{g-C}_3\text{N}_4$ /semiconductor composite photocatalysts, for example, $\text{g-C}_3\text{N}_4/\text{TiO}_2$, $\text{g-C}_3\text{N}_4/\text{Ag}_3\text{PO}_4$, $\text{g-C}_3\text{N}_4/\text{CuFe}_2\text{O}_4$ and $\text{g-C}_3\text{N}_4/\text{WO}_3$ have been manufactured with higher photocatalytic movement, in which extraordinary components, including the heterojunction type (band-band exchange), p-n intersection charge partition and direct Z-plot component, are included. Notwithstanding the $\text{g-C}_3\text{N}_4$ /semiconductor composite, the $\text{g-C}_3\text{N}_4$ /carbonaceous material composite is additionally viewed as an option. These carbonaceous materials give uncommon conductivity, a huge explicit surface region, an expansive absorbance and a quick versatility of charge transporters to advance the photocatalytic action of $\text{g-C}_3\text{N}_4$.

Prospects – photoreduction of N_2 to NH_3

The photoreduction of N_2 to NH_3 is viewed as an experimentally testing yet ecologically neighbourly innovation for the supportable development of the human populace.

Figure 3. Prospects – photoreduction of N_2 to NH_3 .

NH_3 has evoked much research interest and expansive interdisciplinary consideration as a hydrogen bearer notwithstanding its wide use as a modern crude material and compost. Figure 3 shows the prospects of photoreduction of N_2 to NH_3 .

Pre-treatment

It is evident that the N_2 reduction photocatalytic movement is very subject to the pre-treatment strategy for the as-created impetuses. On the one hand, the engineered courses uniquely affect the photocatalytic action dependent on a plenty of angles, including concoction mixes, absconds, precious stone morphologies and molecule sizes. Also, heat treatment assumes a focal job in the physicochemical properties of the nanomaterials. Remarkably, strengthening at a high temperature presents imperfection states, which upgrade the photoreduction capacity. In another angle, delayed warmth treatment unfavourably influences the stage change and the measure of surface OH gatherings, which is unfavourable to the action of photocatalysts.

Reaction mixture

The gas-stage response, fluid stage photoreaction has additionally been generally utilized by means of the suspension of photocatalysts in fluid. Watery slurry with a suitable convergence of photocatalyst upgrades the photoreaction by quickening the scattering of the photocatalyst for improved mass exchange. Nevertheless, high fixations lead to poor infiltration of photons. The nearness of natural scroungers, for example, ethanol and methanol can clearly expand the NH_3 yield by giving conciliatory electron benefactors to the openings in the semiconductor. Alongside the utilization of photograph created openings in an oxidation procedure, the N_2 decrease rates can be extraordinarily expanded due to the accessibility of inexhaustible photograph created electrons for the decrease responses. In spite of the fact that ethanol is commonly used as a run of the mill natural scrounger, it is vital to extensively think about various alcohols to decide appropriate conciliatory specialists for explicit light-determined synergist frameworks.

Modification of semiconductors

Transition metals are generally utilized as dopants, co-impetuses and plasmonic nanostructures with the point of improving photocatalytic effectiveness. Among these, earth-bounteous iron is the most overwhelming as a proficient metal dopant. Conversely, it has been accounted for those respectable metals as dopants in TiO_2 illustrate hindering impacts for N_2 photoreduction. The prospering examination of oxygen opening actuated in BiOX has propelled numerous specialists because of their remarkable attributes for the proficient partition of charge bearers. Critically, the heterostructure will spatially collect the detachment and exchange of photogenerated charge bearers upon their associations at the reached interface.

Conclusion and future perspective

Photocatalytic nitrogen fixation has drawn rising exploration interests inferable from the accompanying benefits:

- ✓ NH_3 synthesis can be acknowledged by utilizing bottomless N_2 and H_2O as crude materials under gentle conditions, prompting the lower cost as well as the alleviation of vitality emergency;
- ✓ Nitrogen reduction reaction procedure with zero-carbon outflow can proficiently ease ecological issues for example, an Earth-wide temperature boost coming about because of CO_2 ;
- ✓ It can give a potential course to store spotless and sustainable sun oriented vitality and power as a hydrogen transporter and sans carbon fuel (NH_3).

In any case, the advancement of heterogeneous synergist nitrogen fixation faces extraordinary deterrents, for example, the inherent inactivity of N_2 particles, the frail restricting quality of N_2 to the heterogeneous impetuses, the qualities of multi-electron and multi-proton taken interest pathways. Moreover, the smelling salts creation is ordinarily joined by the synchronous age of hydrogen and hydrazine, bringing about a low selectivity towards NH_3 . Even more critically, current comprehension on the essential systems of N_2 photograph decrease and electro-decrease is still very constrained because of the extensively muddled response process. To advance the improvement of heterogeneous nitrogen fixation under encompassing conditions, certain viewpoints on the most proficient method to further improve the exhibition of photocatalytic nitrogen reduction reaction frameworks: The plan of progressively productive, cost effective, environment friendly and vigorous impetuses is truly attractive. It is basic to create novel advances for nanomaterial union, in light of the fact that the variation syntheses and morphologies of nanostructured materials play a significant job in improving the reactant nitrogen obsession execution. The interface control, surface building, substance adjustment, etc are promising techniques for the improvement of impetus execution. Particularly, deficient impetus surface has a colossal effect on the reactant execution. Contrasted with the level mass surfaces, the roughened surfaces with rich imperfections and doped heteroatoms have bigger reactant dynamic surface region and significantly progressively low-coordination destinations, which have enormously improved inborn synergist movement. Moreover, the electronic and geometric impacts prompted by compound alteration can offer ascent to the fitting variety and modification of authoritative qualities of response intermediates on impetus surface, giving better synergist properties. The development of heterogeneous single-particle impetuses is another intriguing methodology for advancing the nitrogen reduction reaction execution because of the high exercises of single metal molecules. For precedent, Ru-single iotas were utilized for nitrogen reduction reaction and displayed improved ammonia yield and selectivity. The uplifting news is single-molecule impetuses could be advantageously incorporated from metal-natural structures or metal-natural edifices.

References

- [1] V. Rosca, M. Duca, M.T. de Groot, M.T. Koper, Nitrogen cycle electrocatalysis, *Chem. Rev.* 109 (2009) 2209-2244. <https://doi.org/10.1021/cr8003696>
- [2] D.E. Canfield, A.N. Glazer, P.G. Falkowski, The evolution and future of Earth's nitrogen cycle, *Science* 330 (2010) 192-196. <https://doi.org/10.1126/science.1186120>
- [3] X. Chen, N. Li, Z. Kong, W-J. Ong, X. Zhao, Photocatalytic fixation of nitrogen to ammonia: state-of-the-art advancements and future prospects, *Mater. Horiz.* 5 (2017) 9-27. <https://doi.org/10.1039/C7MH00557A>

- [4] C. Guo, J. Ran, A. Vasileff, S-Z. Qiao, Rational design of electrocatalysts and photo(electro)catalysts for nitrogen reduction to ammonia (NH₃) under ambient conditions, *Energy Environ. Sci.* 11 (2018) 45-56.
<https://doi.org/10.1039/C7EE02220D>
- [5] C. Na, G.F. Zheng, Aqueous electrocatalytic N₂ reduction under ambient conditions, *Nano Res.* 11 (2018) 2992-3008. <https://doi.org/10.1007/s12274-018-1987-y>
- [6] F. Wen, C. Li, Hybrid artificial photosynthetic systems comprising semiconductors as light harvesters and biomimetic complexes as molecular Cocatalysts, *Acc. Chem. Res.* 46 (2013) 2355-2364. <https://doi.org/10.1021/ar300224u>
- [7] H. Li, J. Shang, Z. Ai, L. Zhang, Efficient visible light nitrogen fixation with BiOBr nanosheets of oxygen vacancies on the exposed {001} facets, *J. Am. Chem. Soc.* 137 (2015) 6393-6399. <https://doi.org/10.1021/jacs.5b03105>
- [8] Y. Sun, S. Gao, F. Lei, Y. Xie, Atomically-thin two-dimensional sheets for understanding active sites in catalysis, *Chem. Soc. Rev.* 44 (2015) 623-636.
<https://doi.org/10.1039/C4CS00236A>
- [9] H. Wang, X. Zhang, J. Xie, J. Zhang, P. Ma, B. Pan, Y. Xie, Structural distortion in graphitic-C₃N₄ realizing an efficient photoreactivity, *Nanoscale*, 7 (2015) 5152-5156.
<https://doi.org/10.1039/C4NR07645A>
- [10] R. Li, Photocatalytic nitrogen fixation: An attractive approach for artificial photocatalysis, *Chinese J. Catal.* 39 (2018) 1180-1188. [https://doi.org/10.1016/S1872-2067\(18\)63104-3](https://doi.org/10.1016/S1872-2067(18)63104-3)
- [11] D. Zhu, L. Zhang, R.E. Ruther, R.J. Hamers, Photo-illuminated diamond as a solid-state source of solvated electrons in water for nitrogen reduction, *Nat. Mater.* 12 (2013) 836-841. <https://doi.org/10.1038/nmat3696>
- [12] X. Gao, L. An, D. Qu, W. Jiang, Y. Chai, S. Sun, X. Liu, Z. Sun, Enhanced photocatalytic N₂ fixation by promoting N₂ adsorption with a co-catalyst, *Science Bulletin*, (2019) In press Accepted. <https://doi.org/10.1016/j.scib.2019.05.009>
- [13] G.N. Schrauzer, T.D. Guth, Photolysis of water and photoreduction of nitrogen on titanium dioxide, *J. Am. Chem. Soc.* 99 (1977) 7189-7193.
<https://doi.org/10.1021/ja00464a015>
- [14] A.J. Medford, M.C. Hatzell, Photon-Driven nitrogen fixation: current progress, thermodynamic considerations, and future outlook, *ACS catalysis*, 7 (2017) 2624-2643. <https://doi.org/10.1021/acscatal.7b00439>

- [15] T. Hisatomi, J. Kubota, K. Domen, Recent advances in semiconductors for photocatalytic and photoelectrochemical water splitting, *Chem. Soc. Rev.* 43 (2014) 7520-7535. <https://doi.org/10.1039/C3CS60378D>
- [16] X.X. Chang, T. Wang, J.L. Gong, CO₂ photo-reduction: Insights into CO₂ activation and reaction on surfaces of photocatalysts, *Energy Environ. Sci.* 9 (2016) 2177-2196. <https://doi.org/10.1039/C6EE00383D>
- [17] W.B. Hou, S.B. Cronin, A review of surface plasmon resonance enhanced photocatalysis, *Adv. Funct. Mater.* 23 (2013) 1612–1619. <https://doi.org/10.1002/adfm.201202148>
- [18] H. Hirakawa, M. Hashimoto, Y. Shiraishi, T. Hirai, Photocatalytic conversion of nitrogen to ammonia with water on surface oxygen vacancies of titanium dioxide, *J. Am. Chem. Soc.* 139 (2017) 10929-10936. <https://doi.org/10.1021/jacs.7b06634>
- [19] Y. Bai, L.Q. Ye, T. Chen, L. Wang, X. Shi, X. Zhang, D. Chen, Facet-dependent photocatalytic N₂ fixation of bismuth-rich Bi₅O₇I nanosheets, *ACS Appl. Mater. Interfaces*, 8 (2016) 27661-27668. <https://doi.org/10.1021/acsami.6b08129>
- [20] T. Xiong, W. Cen, Y. Zhang, F. Dong, Bridging the g-C₃N₄ interlayers for enhanced photocatalysis, *ACS Catal.* 6 (2016) 2462-2472. <https://doi.org/10.1021/acscatal.5b02922>
- [21] S.Z. Hu, X. Chen, Q. Li, F.Y. Li, Z.P. Fan, H. Wang, Y.J. Wang, B.H. Zheng, G. Wu, Fe³⁺ doping promoted N₂ photofixation ability of honeycombed graphitic carbon nitride: The experimental and density functional theory simulation analysis, *Appl. Catal. B-Environ.* 201 (2017) 58-69. <https://doi.org/10.1016/j.apcatb.2016.08.002>
- [22] S. Wang, X. Yang, H. Hou, X. Ding, S. Li, F. Deng, Y. Xiang, H. Chen, Highly efficient visible light induced photocatalytic activity of a novel in situ synthesized conjugated microporous poly (benzothiadiazole)–C₃N₄ composite, *Catal. Sci. Technol.* 7 (2017) 418-426. <https://doi.org/10.1039/C6CY02006B>
- [23] D.C. Hurum, A.G. Agrios, K.A. Gray, T. Rajh, M.C. Thurnauer, Explaining the enhanced photocatalytic activity of Degussa P25 mixed-phase TiO₂ using EPR, *J. Phys. Chem. B*, 107 (2003) 4545-4549. <https://doi.org/10.1021/jp0273934>
- [24] T.A. Kandiel, L. Robben, A. Alkaim, D. Bahnemann, Brookite versus anatase TiO₂ photocatalysts: Phase transformations and photocatalytic activities, *Photochem. Photobiol. Sci.* 12 (2013) 602-609. <https://doi.org/10.1039/C2PP25217A>

- [25] A.N. Banerjee, The design, fabrication, and photocatalytic utility of nanostructured semiconductors: focus on TiO₂-based nanostructures, *Nanotechnol. Sci. Appl.* 4 (2011) 35-65. <https://doi.org/10.2147/NSA.S9040>
- [26] K. Tennakone, S. Punchihewa, R. Tantrigoda, Nitrogen photoreduction with cuprous chloride coated hydrous cuprous oxide, *Sol. Energy Mater.* 18 (1989) 217-221. [https://doi.org/10.1016/0165-1633\(89\)90055-5](https://doi.org/10.1016/0165-1633(89)90055-5)
- [27] Y. Hu, X. Gao, L. Yu, Y. Wang, J. Ning, S. Xu, X.W. Lou, Carbon-coated CdS petalous nanostructures with enhanced photostability and photocatalytic activity, *Angewandte Chemie International Edition in English*, 52 (2013) 5636 – 5645. <https://doi.org/10.1002/anie.201301709>
- [28] Y. Cao, S. Hu, F. Li, Z. Fan, J. Bai, G. Lu, Q. Wang, Photofixation of atmospheric nitrogen to ammonia with a novel ternary metal sulfide catalyst under visible light, *RSC Adv.* 6 (2016) 49862. <https://doi.org/10.1039/C6RA08247E>
- [29] X. Jin, L. Ye, H. Xie, G. Chen, Bismuth-rich bismuth oxyhalides for environmental and energy photocatalysis, *Coord. Chem. Rev.* 349 (2017) 84-101. <https://doi.org/10.1016/j.ccr.2017.08.010>